

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	*7385984*.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:12
L2	2	*7292591*.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:15
L3	2	*7463628*.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:16
L4	10	*7502374*.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:17
L5	2	*7554978*.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:21
L6	2	*7646770*.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:22
L7	8	*7606263*.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:23

L8	2	"7649879".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:24
L9	2	"7675915".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:25
L10	2	"7385984".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:34
L11	4	"7613209".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:36
L12	7	"7606249".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:37
L13	3	"389505".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:42
L14	2	"7389505".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:43
L15	2	"7539750".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:50

L16	15062	(pipeline\$2 adj process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L17	8602	(pipeline\$2 adj process\$4) and ((instruction or command) same memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L18	1140	(pipeline\$2 adj process\$4) and ((instruction or command) same memory) and ((command or instruction) with (parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L19	465	(pipeline\$2 adj process\$4) and ((instruction or command) same memory) and (((command or instruction) with (parameter)) same memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L20	223	(pipeline\$2 adj process\$4) and ((instruction or command) same memory) and (((command or instruction) with (parameter)) same memory) and pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L21	134	(pipeline\$2 adj process\$4) and ((instruction or command) same memory) and (((command or instruction) with (parameter)) same memory) and pointer and index\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L22	102	(pipeline\$2 adj process\$4) and ((instruction or command) same memory) and (((command or instruction) with (parameter)) same memory) and pointer and index\$4 and (packet or frame or cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51

L23	27	((pipeline\$2 adj process\$4) and ((instruction or command) same memory) and (((command or instruction) with (parameter)) same memory) and pointer and index\$4 and ((packet or frame or cell) with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L24	5239	(pointer same (command or instruction) same (parameter or variable)) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L25	1488	(pointer with (command or instruction) with (parameter or variable)) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L26	328	(pointer with (command or instruction) with (parameter or variable) with memory) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L27	20	((pointer with (command or instruction) with (parameter or variable) with memory) same packet) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L28	23	((pointer with (command or instruction)) same (pointer with (parameter or variable)) same memory same packet) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L29	23	((pointer with (command or instruction)) same (pointer with (parameter or variable)) same memory same packet) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L30	1281	((command or instruction or operator)) same ((parameter or variable or operand)) same memory same packet) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51

L31	225	((command or instruction or operator)) with ((parameter or variable or operand)) with memory with packet) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L32	1748	(pointers with instruction with (parameter or variable or operand)) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L33	889	(pointers with instruction with (operand)) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L34	58	(pointers with command with (operand)) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L35	6610	advantage with pointers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L36	1008	advantage adj2 pointers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L37	476	advantage adj pointers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L38	559	advantage with using with pointers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51

L39	559	advantage with using with pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L40	15	(advantage with using with pointer) and "370"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L41	2	((pointer with (command or instruction) with (parameter or variable) with memory same packet) and (pipeline \$2 with process\$3) and (@rlad<"20040330" or @ad<"20040330"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L48	2197	(pointer same (command or instruction) same (parameter or variable) same memory) and (@rlad<"20040330" or @ad<"20040330"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L49	139	(pointer same (command or instruction) same (parameter or variable) same memory).ab. and (@rlad<"20040330" or @ad<"20040330"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L50	14	(pointer same (command or instruction) same (parameter or variable) same memory same (data with structure)).ab. and (@rlad<"20040330" or @ad<"20040330"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L51	4	(pointer same (command or instruction) same (parameter or variable) same memory).ab. and packed and burst and (@rlad<"20040330" or @ad<"20040330"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L52	55	(pointer same (command or instruction) same (parameter or variable) same memory) and packed and burst and (@rlad<"20040330" or @ad<"20040330")) not L51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51

L53	38	(packed with instruction) and (burst with data) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L54	1809	(packed with instruction) and (@rlad<"20040330" or @ad<"20040330") not L53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L55	283	(packed adj instruction) and (@rlad<"20040330" or @ad<"20040330") not L53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L56	33	(packed adj instruction).ab. and (@rlad<"20040330" or @ad<"20040330") not L53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L57	35	(packed adj instruction) and (data adj structure) and (@rlad<"20040330" or @ad<"20040330") not L53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L58	2	"20070291754".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L59	3793	(pointer adj table) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L60	293	((pointer adj table) same instruction) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51

L61	38	((pointer adj table) same instruction).ab. and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L62	38	((pointer adj table) same instruction).ab. and (pointer adj table) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L63	240	((pointer adj table) same (data or mask)).ab. and (pointer adj table) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51
L64	5	((pointer adj table) same (operand)).ab. and (pointer adj table) and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/01 18:51

7/ 1/ 2010 6:54:16 PM

C:\Documents and Settings\sahmed\ My Documents\ EAST\ Workspaces\ 10814774-March-16-2009-Chu_case.wsp